

Certificate of Analysis

Company: Forbins Finest

Sample ID: Slightly Sour

21 Metro Way #8

Lot: 17

Report Date: 3/14/2024

Barre, VT 05641

Matrix: Flower

Date Analyzed: 3/12/2024

Customer ID: 220308-0

Date Sampled: N/A

Analyst: 057

Grower License #: CLTV0087

Date Received: 3/8/2024

Report ID: C240308AQ

Cannabinoid Summary

| Cannabinoid Profile | LOQ (mg/g) | Concentration (mg/g) | Weight (%) |
|---------------------------|------------|----------------------|------------|
| CBDVA | 0.0005 | <LOQ | <LOQ |
| CBDV | 0.0012 | <LOQ | <LOQ |
| CBDA | 0.0008 | 0.67 | 0.07 |
| CBGA | 0.0008 | 11.89 | 1.19 |
| CBG | 0.0019 | 1.63 | 0.16 |
| CBD | 0.0019 | <LOQ | <LOQ |
| THCV | 0.0021 | <LOQ | <LOQ |
| CBN | 0.0013 | <LOQ | <LOQ |
| Δ9-THC | 0.0020 | 3.52 | 0.35 |
| Δ8-THC | 0.0019 | <LOQ | <LOQ |
| THC-A | 0.0034 | 271.05 | 27.11 |
| CBC | 0.0024 | <LOQ | <LOQ |
| Total THC | | 241.23 | 24.12 |
| Total CBD | | 0.59 | 0.06 |
| Total Cannabinoids | | 288.76 | 28.88 |

24.12%

Total THC

0.06%

Total CBD

28.88%

Total Cannabinoids

0.35%

Δ9-THC

9.90%

Percent Moisture

1 : 0

THC : CBD Ratio

Cannabinoids Methodology: High Performance Liquid Chromatography (HPLC) using PerkinElmer FLEXAR™ with Photo Diode Array Detector (PDA)

Total CBD and total THC are calculated values, to account for assumed decarboxylation from the acid form (THCA or CBDA) to the neutral form, causing weight loss of the acid group. These values are calculated as follows:
 Total THC = (THCA × 0.877) + Δ9-THC Total CBD = (CBDA × 0.877) + CBD
 Ratio of Total CBD: Total THC Reagent Blanks: < LOQs for all analytes

LOQ = The lowest quantity that this method can reliably detect. Any cannabinoid that was not detected is assumed to be less than the stated LOQ (<LOQ).

All results reflect dry weight of material, based on % moisture of the sample.

Measurement of Uncertainty (MU): the parameter, associated with the result of a measurement, that characterizes the dispersion of the values that could reasonably be attributed to the particular quantity subject to measurement.
 Δ9-THC MU = ±0.005% Total THC MU = ±0.007%

All other cannabinoid MU values are available upon request.

All moisture analysis is determined by loss-on-drying measurement using OHAUS Model MB90 Moisture Content Readers.



This report shall not be reproduced except in full without approval of the laboratory. This is to provide assurance that parts of a report are not taken out of context. Results apply to the samples as received.

Certified by: *Luke E. M.*
 Luke Emerson Mason (Laboratory Director, Bia Diagnostics)

Certificate of Analysis

Company: Forbins Finest
21 Metro Way #8
Barre, VT 05641
Customer ID: 220308-0
Grower License #: CLTV0087

Sample ID: Slightly Sour
Lot: 17
Matrix: Flower
Date Sampled: N/A
Date Received: 3/8/2024

Report Date: 3/14/2024
Date Analyzed: 3/11/2024
Analyst: 057
Report ID: C240308AQ


Water Activity Summary

| Test | Method | Result |
|----------------|--|--------|
| Water Activity | ASTM D8196: Determination of Water Activity in Cannabis Flower | 0.5294 |



Test Methodology: Aqualab TDL 2 water activity meter with tunable diode laser

This report shall not be reproduced except in full without approval of the laboratory. This is to provide assurance that parts of a report are not taken out of context. Results apply to the samples as received.

Certified by: 
Luke Emerson Mason (Laboratory Director, Bia Diagnostics)